



Republic of the Philippines
DEPARTMENT OF THE INTERIOR AND LOCAL GOVERNMENT
BUREAU OF JAIL MANAGEMENT AND PENOLOGY
NATIONAL HEADQUARTERS

144 Mindanao Avenue, Project 8, Quezon City
Trunklines: (+632) 927-5147; 456-1922
Email Address: chiefbjmp@gmail.com Website: www.bjmp.gov.ph



BIDS AND AWARDS COMMITTEE

Bid Bulletin No. 1

SUPPLY AND DELIVERY OF (18) Units OF SATELLITE PHONES (Negotiated)
Bid Reference No. G-2015-011

This Bid Bulletin No. 1 is being issued to further clarify, modify and amend items/contents/specifications in the published bidding documents dated November 24, 2015, for the aforesaid project.


FROM	TO
<p>Page 2: Price of Bid Documents Php 5,00.00</p>	<p>Page 2: Price of Bid Documents Php 1,000.00</p>
<p>Section III. Technical Specifications I. Basic Requirements</p> <p>Dimension : 160 – 170 mm Width : 50 – 55 mm (without antenna) 70 – 75 mm (with antenna if applicable) Depth : 25 – 40 mm Weight : 250 to 350 grams including battery Display : High Contrast or High Visibility Color Screen Interface : Must be capable of following interface: a. Micro USB b. Audio Socket c. Antenna Port d. Bluetooth Durability/Dust and water intrusion : IP 54 / IP 65 Compliant Operating Temp : - 20 °C to + 55 °C Storage Temp : - 20 °C to + 70 °C with battery Charging Temp : 0 °C to + 45 °C Humidity Tolerance : 0 to 95 percent</p>	<p>Section III. Technical Specifications 1. Basic Requirements</p> <p>Design and Construction The satellite phone terminal shall be lightweight with robust mechanical package that provides reliable performance for a demanding environment or climate conditions that will respond to any form of disaster and/or calamities. It shall be compliant to durability (MIL-STD 810F/IKO4) and dust and water intrusion (IP54 / IP65) rating.</p> <p>Dimension (LxWxD) Length: 125 to 170 mm; Width: 50 to 55 mm (without antenna) or 70 to 75mm (with antenna if applicable); Depth: 25 to 40mm Weight : 175 to 350 grams or less Display : High Contrast or High Visibility Color Operating Temperature : - 20 °C to +55°C Storage Temperature : -20°C to +70°C with battery Charging Temperature : 0 °C to +45°C Humidity Tolerance: 0 to 95% Coverage: Global Coverage Satellite Footprint: KU Band Color: The color shall be preferably black or dark tone color</p>
<p>Section III. Technical Specifications II. BATTERY PACK Shall be Li-Ion, 3.7 Volts, with up to 8 hours talk time and at least 150 hours standby time</p>	<p>Section III. Technical Specifications II. BATTERY PACK Shall be Li-ion, 3.7 Volts with at least 6 hours talk time</p>

<p>Section III. Technical Specifications III. SATELLITE SERVICE Telephony : 2.4kbps voice codec with speakerphone option Supplementary Voice Services: Shall include Call History, Caller ID, Call Waiting, Call Divert, Call Holding, Conferencing, Call Barring, Speed Dialing, Fixed Number Dialing Text to Text: Standard and predictive text, 160 Latin/ approx. 74 non-Latin Characters, Up to 10 Constellation Text to Email: 160 Latin/ approx. 74 non-Latin Characters, Up to 10 Constellation (Incoming email) Web messaging to Satellite Phone Terminal: Shall be supported via free web GUI/URL GPS Location Data: Shall capable of viewing position and send via text and email (Up to 20 kbps data rate)</p>	<p>Section III. Technical Specifications III. SATELLITE SERVICE Shall support following satellite services, but not limited to, at least 2.4kbps voice code with speakerphone telephony, supplementary voice services, text to text, text to email, web messaging to satellite phone terminal and shall be capable of GPS location data viewing and sending</p>
<p>Section III. Technical Specifications IV. ACCESSORIES AND DEVICES a. Shall include Universal AC Battery Charger and Car Charger (10 to 30 volts) b. Shall include Micro USB Cable c. Shall include Wired hand free headset d. Shall include Quick Start Guide in English including other 8 languages e. Shall support CD or USB memory drive f. Shall be provided with warranty and documentation Manual: A product brochure/user's manual shall accompany each portable radio providing the following: 1. General Information 2. Maintenance or Cleaning and Storage 3. Material Construction & Specification 4. Product Warranty and Contact Information (Note: All portions of the required product labels shall be printed in English or at least with equivalent English translation.)</p>	<p>Section III. Technical Specifications IV. ACCESSORIES AND DEVICES a. Antenna: Optional b. Battery Charger: Shall be auto-voltage 110 to 220 Vac rating and separate 10 to 30Vdc Car Charger c. Carrying Case: Optional d. Sleeve Adaptor: Optional e. Bluetooth Headset: Optional f. Solar Charger: Optional g. Fixed docking unit: Optional h. CD or USB Memory Drive: Supported i. Other Accessories: With Micro USB Cable, Wired Hands-free headset, Warranty Documentation, Quick Start Guide A product brochure/user's manual shall accompany each satellite phone providing the following: a. General Information b. Maintenance or Cleaning and Storage c. Material Construction and Specification d. Product Warranty and Contact Information</p>
<p>Section III. Technical Specifications V. CAPABILITY and KEY FEATURES a. Shall include Pre-paid SIM Card and at least 2500 units pre-paid airtime service with 1 year expiration b. Shall support pre-paid airtime administration thru web</p>	<p>Section III. Technical Specifications V. CAPABILITY and KEY FEATURES Shall include activated pre-paid SIM Card registration and with an option of pre-paid airtime service Shall support at least English Language.</p>

<ul style="list-style-type: none"> c. Shall support English Language and other languages d. Support device tracking e. With assistance Button f. Minute minder in call alert 	<p>device tracking, assistance button and minute call alert minder</p>								
<p>Section III. Technical Specifications VI. MARKINGS</p> <p>a. The satellite phone set shall have a label permanently and conspicuously attached at the back of each portion upon which at least the following general information, warning, care, maintenance or similar data are printed:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">1. Manufacturer's Name</td> <td style="width: 50%;">5. Serial Number</td> </tr> <tr> <td>2. Manufacturer's Address (Input and Output)</td> <td>6. Rating (Input and Output)</td> </tr> <tr> <td>3. Country of Manufacturer</td> <td>7. Caution</td> </tr> <tr> <td>4. Model Number or Design</td> <td>8. Safety Markings</td> </tr> </table> <p>b. The satellite phone set product label shall bear the certification, symbol, or identifying mark of the certifying organization denoting compliance. The label, symbol, or identifying mark shall be printed legibly.</p> <p>c. Product to be supplied shall bear a visible permanent marking (microfabricated) carrying the word "BJMP Property" of a contrast color conspicuously located on the back outer shell, upper portion of the satellite phone set.</p>	1. Manufacturer's Name	5. Serial Number	2. Manufacturer's Address (Input and Output)	6. Rating (Input and Output)	3. Country of Manufacturer	7. Caution	4. Model Number or Design	8. Safety Markings	<p>Section III. Technical Specifications</p> <p>The satellite phone set shall have a label permanently and conspicuously attached at the back portion of the unit bearing at least general. Warning care, maintenance or similar data information, such as:</p> <ul style="list-style-type: none"> a. Manufacturers Name b. Manufacturers Address c. Country of Manufacturer d. Model Number or Design e. Serial Number f. Rating g. Caution h. Safety Markings <p>Product label shall bear certification symbol or identifying mark of the certifying organization denoting compliance shall be printed legibly.</p> <p>The product to be supplied shall bear an engraved marking carrying the word "BJMP Property" of a contrast color conspicuously located on the back outer shell, upper portion of the satellite phone set.</p>
1. Manufacturer's Name	5. Serial Number								
2. Manufacturer's Address (Input and Output)	6. Rating (Input and Output)								
3. Country of Manufacturer	7. Caution								
4. Model Number or Design	8. Safety Markings								

This Bid Bulletin No. 1 shall form part of the Bid Documents. Any provision in the issued bid documents inconsistent herewith is hereby amended, modified and superseded accordingly.

Issued this 27th day of November 2015 at BJMP National Headquarters, 144 Mindanao Avenue, Quezon City.


ATTY. MICHAEL E. VIDAMO SR. TLPE
 Jail Chief Superintendent
 Chairperson, BJMP-NHQ BAC